



## IdentifINDER R400 FLIR

HANDHELD SPECTROSCOPIC RADIATION  
DETECTION & IDENTIFICATION

- RADIONUCLIDE IDENTIFICATION DEVICE (RID)
- QUICKLY AND EFFICIENTLY DETECT, LOCATE, MEASURE, AND IDENTIFY SOURCES
- HIGH RESOLUTION, LOW FALSE ALARMS
- ABLE TO WITHSTAND SUBMERSION UP TO 10 METERS

### ALL-PURPOSE, FIELDPROVEN RADIOLOGICAL SURVEYING

Over 20,000 deployed globally for tough, tried-and-true performance

- NaI or LaBr detectors provide custom solutions for sensitivity and resolution
- Available in gamma only or gamma and neutron models
- Underwater model able to withstand submersion up to 10 meters

### FAST, RELIABLE IDENTIFICATION AND DETECTION

Rugged and mission-ready for fast front-line detection and response

- Quickly and efficiently detect, locate, measure, and identify sources
- Back-up gamma detector provides detection capability, even in high dose rate environments
- Identifies ANSI N42.34 library
- High resolution, low false alarms



THE FLIR IDENTIFINDER R400 IS THE MOST WIDELY DEPLOYED HANDHELD RADIATION DETECTION AND IDENTIFICATION PRODUCT IN THE WORLD.

At half the size and weight of competitive RIDs, radionuclide identification devices, the R400 helps operators feel comfortable using the instrument even in the most hazardous and stressful environments. Operators use the handheld R400 to detect, quickly locate, measure, and identify the source of radioactive material. Like other IdentifINDER R-series products, the R400 contains on-board Bluetooth, web server, and GPS technologies and produces rapid visible, audible, and tactile alerts that expedite response measures. The common operating interface reduces training time and costs, while increasing operator confidence and inter-operability between agencies using FLIR products. As the only RID with a true underwater variant to withstand up to 10 meters of water indefinitely (IP68), and with over 20,000 devices deployed globally, it is the most trusted RID in the world.

### RAPID ALERTS AND COMMUNICATIONS FOR EXPEDITED DECISIONMAKING

Easily transfer important tactical information

- Fast two-minute startup
- On-board GPS, webserver, and Bluetooth capabilities
- Common operating interface reduces training burden
- Large, color display eases data interpretation



## IdentiFINDER R400 FLIR

### SAMPLING & ANALYSIS

Sample Introduction	Absorption of EM gamma emissions
Threats	Detects neutron or gamma radiation emitted from natural occurrences in the environment, special nuclear material, industrial, or medical material
Nuclide Identification	According to ANSI N42.34
Sampling & analysis	From a few seconds to minutes

### SYSTEM INTERFACE

Display & alerts	Transflective color LCD
Communication	USB - 1, 2, 5, 6, 9, 10 LEMO Series K socket - 3, 4, 7, 8
Data storage	2GB internal memory; up to 600,000 spectra
Training requirements	<10 mins for operator; 1 day for advanced user
Software	Onboard webservice software, NaI Gamma Enrichment Measurements (NaIGEM) algorithm - variant 10

### POWER


Input voltage	100-240 VAC (wall and car adapters and USB cable supplied)
Battery specs	Either rechargeable NiMH or 4x AA pack (supplied); ≥8h operational battery life; recharge ≤4h when using AC; recharge >4h when using USB
Cold start time	<2 mins from cold start

### ENVIRONMENTAL

Operating temperature	-20 to 50 °C
Operating humidity	10 to 80 % <sup>1, 2, 5, 6, 9, 10</sup> 100 % <sup>3, 4, 7, 8</sup>
Storage temperature	-10 to 35 °C

### PHYSICAL FEATURES

Dimensions (L x W x H)	≤ 9,4 x 26,9 x 8,1 cm - with battery
Weight	≤1,5 kg
Enclosure & protection	Aluminum housing; protection rating IP53 according to IEC 60529 variants <sup>7,8,9,10</sup> IP68 according to IEC 60529; 10 m; 8 h



### HTDS

Parc d'Activités du Moulin de Massy - 3 rue du Saule Trapu  
BP246 - 91882 Massy Cedex France

Tel : +33 (0) 1 64 86 28 28 - Fax : +33 (0) 1 69 07 69 54 - info@htds.fr - www.htds.fr

HTDS Algeria : +213 232 384 01/02

HTDS Morocco : +212 222 749 59

HTDS Egypt : +202 229 053 06

HTDS Lybia : +218 91 69 50 70 8

HTDS Madagascar : +261 326 170 443

HTDS Tunisia : +216 70 836 961

