



Aeris

Cement edition



Outperforming expectations... surprisingly intuitive


The Cement edition of Aeris is PANalytical's X-ray diffractometer for everyone in the cement industry. Ease of use and maximum benefit are the key aspects. Experience for yourself how the operation of the Aeris Cement edition is just a breeze with its intuitive user interface on the built-in touch screen where all results you need are directly displayed.

At the same time, the Cement edition of Aeris is designed for low cost of ownership. With its low power consumption, virtually unlimited lifetime of the tube and limited infrastructural requirements it guarantees low running costs. PANalytical's engineers with their continuous drive to innovate have been able to outperform typical benchtop X-ray diffractometer performance. Aeris incorporates many technologies that were introduced on our high-end systems and have proven their benefits. The data quality and speed of analysis delivered by the Aeris Cement edition have previously only been seen on full-power systems.

Additionally, the Cement edition of Aeris is the first benchtop X-ray diffraction (XRD) system that is fully automatable and can easily be incorporated in industrial production control.

Excellent X-ray diffraction for everyone indeed!





Produce greener and more efficient with X-ray diffraction

Configured for cement applications

XRD provides mineralogical information that is directly linked to physical properties of cement and its intermediate products. information about the quality of (blended) cements. This information facilitates more efficient and greener production control.

Strength, setting properties, hydration properties and chemical Manufacture with confidence resistance are directly linked to the mineralogy of cement (see table below). XRD is the method for direct probing of these minerals allowing better judgment of the physical properties already in the production phase.

| Physical property | Compound |
|--|--|
| Initial strength | Alite (C ₃ S) |
| 28 day strength | Belite (C ₂ S) |
| Setting time | Aluminate (C ₃ A) |
| Sulfate attack | Ferrite (C ₄ AF) |
| Expansive hydration Measure for burning conditions | Free lime (CaO) |
| Expansive hydration | Periclase (MgO) |
| Setting retarder | Gypsum (CaSO ₄ ·2H ₂ O) |
| False setting | Bassanite (CaSO ₄ ·1/2H ₂ O) |
| Slow setting | Anhydrite (CaSO ₄) |

What X-ray diffraction can tell about your cement

High-end technology

XRD is the most efficient method for directly obtaining Compliancy with the norms for modern cements is guaranteed.


XRD is your partner in process control and optimization at every stage of the cement production process, from raw meal, clinker and (blended) cement to the final product.

Rapid analysis minimizes feedback loops and allows early intervention for process optimization.

Safety

XRD is a safe, non-destructive analysis tool.





Green and efficient cement production made easy by Aeris

Do you want to analyze raw materials, raw meal, hot meal, clinker, additives or cement? Aeris is the turn-key solution and ready for reliable mineralogical feedback to the process the moment you start up the system. With its intuitive touch screen Aeris is very easy to use and with an analysis time of just 5 minutes for clinker or cement it is fast.

Aeris' low cost of ownership delivers maximum return on investment: it has very limited infrastructural requirements with its small footprint and it has no need for compressed air or cooling water. Aeris has a much lower power consumption compared to floorstanding X-ray diffraction systems and its X-ray tube has a virtually unlimited lifetime.



Seamless integration in automation

The only automatable benchtop diffractometer for high sample throughput

Aeris can be connected with a belt or a robot for fast and automated sample processing.

The power of combining technologies

The twin solution, Aeris and Zetium, provides full material characterization by adding elemental composition information from Zetium to the phase identification by Aeris.


Industry standard sample holders tailored to your needs

- Collection of 51.5 mm sample holders
- 40 mm sample holders

Easy and flexible analysis

Accurate and reliable process control


Control of the pyroprocessing with Aeris is very reliable with its high degree of repeatability.



Repeatability of the mineralogical quantification in a clinker

Accurate and reliable quality assurance of (blended) cements

The advanced calculation routines of Aeris allow precise and reliable quality assurance of your final (blended) cement and accurately benchmark against cement classification norms like EN-197 or ASTM C150.



Mineralogical quantification in a blended cement containing both slag and fly ash

Strong and robust

Fast and reliable feedback into the process is paramount for producing good-quality cement efficiently. Uptime of the analytical equipment is therefore key. From the ground up, Aeris has been designed for maximum uptime. This is additionally backed by PANalytical's global network of customer support and application specialists.

Aeris is the first benchtop XRD, providing seamless integration in any industry standard automation system with a belt or a robot. Also Aeris complies with the most stringent safety standards.





Rugged design

The only benchtop XRD with external sample loading for ultimate dust protection of the heart of the instrument

Minimum of infrastructural requirements

No cooling water, no chiller, no compressed air the only thing you need is a single-phase power socket

Industry-ready

Compatible with all common industry standards; from LIMS interfacing protocols to various industry-standard sample holders

6-position sample changer

Easy-to-use and automatable sample changer that is compatible with industry standard sample holders

Fully automatable

Aeris can be connected to a belt or a robot. Data transfer is provided with industry standard LIMS protocols

Easy operation

Intuitive operation via on-board high-resolution (1024 x 768) 10.4" LCD touch screen

Speed and sensitivity pack

Even faster analysis and improved detection of minor phases

Safety guaranteed

Aeris complies with the most stringent safety requirements. No chemicals are needed for sample preparation

An easy touch

Accurate and reliable results in just a few steps







Select measurement program and hit start





High-end service to suit your needs

To assure that your instrument remains in top condition and performs on the highest level, PANalytical offers a wide range of services. Our Expertise and support services assure an optimal functioning of your instrument.

Expertise

We take care of your analytical challenges

Industry's largest pool of specialists to create analytical solutions that are crucial for your processes and add value to your business and activities.

- On-site training
- Training courses
- Performance optimization and validation
- Analysis services and customized reference materials
- Multi-laboratory standardization

Support

Support for a life time

Worldwide network of experienced engineers to ensure rapid response and maximum uptime.

- Phone and remote support
- Preventive maintenance and check-ups
- Flexible Care Agreements
- Performance certificates
- Hardware and software upgrades
- Local presence
- Local stock of spare parts





PANalytical B.V.

Lelyweg 1, 7602 EA Almelo P.O. Box 13, 7600 AA Almelo The Netherlands

T +31 546 534 444 F +31 546 534 598

info@panalytical.com www.panalytical.com

Regional sales offices Americas

T +1 508 647 1100

F +1 508 647 1115

Europe, Middle East, Africa

T +31 546 834 444 F +31 546 834 969

Asia Pacific

T +65 6741 2868

F +65 6741 2166